




ITEM #	QTY	PART #	PART TITLE
-1	1	RBW3230G00131-6F-1	PACKAGING ASSY
-4	1	RBW3230G00131-6F-4	LOCKING PIN, LANDING GEAR HANDLING ASSY
10	1	RB41011	DART PLACARD
11	4	McMaster#97524A032 OR EQUIV.	ALUMINUM SEALING BLIND RIVETS 1/8" DIA. X 0.425" LG.




RBW3230G00131-6F LOCKING PIN, LANDING GEAR HANDLING

- NOTES:
- 1) MATERIAL: N/A
 - 2) HEAT TREAT: N/A
 - 3) FINISH: N/A
 - 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) IDENTIFICATION: ENGRAVE THE TOOL P/N ON THE DART PLACARD WHERE INDICATED
 - 7) INSTALL THE DART PLACARD ONTO THE TOP OF THE CASE IN AVAILABLE AREA USING ALUMINIUM POP RIVETS
 - 8) HOT GLUE THE TOP AND BOTTOM FOAM INTO THE CASE

A	NEW ISSUE	19-689	VM
REV.	DESCRIPTION	ECN #	BY
DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	KPT	TOOL PART #	REV. A
MFG. APPR.	FK	RBW3230G00131-6F	SHEET 1 OF 10
APPROVED	VP	TITLE	SCALE
		LOCKING PIN, LANDING GEAR HANDLING	NTS
DATE	4/16/2019	COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


ITEM #	QTY	PART #	PART TITLE
-2	1	RBW3230G00131-6F-2	BOTTOM FOAM
-3	1	RBW3230G00131-6F-3	TOP FOAM
12	1	PELICAN #APP-1120-E	PELICAN CASE 1120




RBW3230G00131-6F-1 PACKAGING ASSY




NOTES:
1) MATERIAL: N/A
2) HEAT TREAT: N/A
3) FINISH: N/A
4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) IDENTIFICATION: N/A

DESIGN	VM	DART AEROSPACE LTD	
DRAWN	VM	HAWKESBURY, ONTARIO, CANADA	
CHECKED	KPT	TOOL PART #	REV. A
MFG. APPR.	FK	RBW3230G00131-6F	SHEET 2 OF 10
APPROVED		TITLE	SCALE
DATE 4/16/2019		LOCKING PIN, LANDING GEAR HANDLING	NTS 
COPYRIGHT © 2019 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>			






ITEM #	QTY.	PART #	PART TITLE
-5	1	RBW3230G00131-6F-5	TOP LANDING GEAR HANDLING
-6	1	RBW3230G00131-6F-6	BOTTOM LANDING GEAR HANDLING
-7	2	RBW3230G00131-6F-7	BLOCK
-8	2	RBW3230G00131-6F-8	THREADED PIN
-9	1	RBW3230G00131-6F-9	PIVOT PIN
13	2	McMaster#92150A124 OR EQUIV	NYLON FLAT WASHER FOR 1/4" SCREW SIZE
14	1	McMaster#98410A113 OR EQUIV	STEEL ZINC YELLOW PLATED EXTERNAL RETAINING RING FOR 1/4" OD.
15	4	McMaster#90273A193 OR EQUIV	STEEL ZINC PLATED PHILLIPS FLAT HEAD SCREW 82° COUNTERSINK #8-32 X 7/16" LG.
16	3	McMaster#90177A213 OR EQUIV	ZINC PLATED STEEL SPLIT RING 9/16" OD x 7/16" ID. x 1/16" THK
17	6	McMaster#3896T31 OR EQUIV.	ALUMINUM WIRE ROPE COMPRESSION SLEEVE 1/16" DIA. X 3/8" LG.
18	1	NAS1756-12	REMOVE BEFORE FLIGHT FLAG
19	AR	CARR LANE #CL-2-C	NYLON COATED STEEL LANYARD 1/16" DIA.




- NOTES:
- 1) MATERIAL: N/A
 - 2) HEAT TREAT: N/A
 - 3) FINISH: N/A
 - 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) IDENTIFICATION: N/A
 - 7) ASSEMBLE AS SHOWN
 - 8) APPLY RED THREADLOCKER LOCTITE 263/262 ON THREADS OF ITEMS 15 THEN ASSEMBLE WITH ITEMS -7 AND REMOVE EXCESS
 - 9) INSTALL ITEMS 15 HAND TIGHT
 - 10) ASSEMBLED LANYARD LENGTH MUST BE 6" +/- 1", LANYARD MUST MOVE FREELY
 - 11) ASSEMBLED LANYARD LENGTH MUST BE 4" +/- 1", LANYARD MUST MOVE FREELY
 - 12) THE TOOL ASSY MUST BE PACKAGED WITH A DESICCANT BAG INTO A TIGHT FITTING SEALED PLASTIC BAG


RBW3230G00131-6F-4 LOCKING PIN, LANDING GEAR HANDLING ASSY




DESIGN	VM	DART AEROSPACE LTD	
DRAWN	VM	HAWKESBURY, ONTARIO, CANADA	
CHECKED	KPT	TOOL PART #	REV. A
MFG. APPR.	FK	RBW3230G00131-6F	SHEET 5 OF 10
APPROVED	Wp	TITLE	SCALE
		LOCKING PIN, LANDING GEAR HANDLING	NTS
DATE	4/16/2019	COPYRIGHT © 2019 BY DART AEROSPACE LTD	
		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	





NOTES:
1) MATERIAL: WHITE DELRIN / ACETAL ASTM D6100
2) HEAT TREAT: N/A
3) FINISH: N/A
4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) REMOVE ALL SHARP EDGES AND BURRS
7) IDENTIFICATION: N/A
8) ALL NON-DIMENSIONED FEATURES MUST MAINTAIN A TOLERANCE OF +/- 0.005" PER CAD FILE RBW3230G00131-6F-6 REV. A.STEP

DESIGN	VM	DART AEROSPACE LTD	
DRAWN	VM	HAWKESBURY, ONTARIO, CANADA	
CHECKED	KPT	TOOL PART #	REV. A
MFG. APPR.	FK	RBW3230G00131-6F	SHEET 7 OF 10
APPROVED		TITLE	SCALE
		LOCKING PIN, LANDING GEAR HANDLING	NTS 
DATE	4/16/2019	COPYRIGHT © 2019 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			





SECTION F-F

RBW3230G00131-6F-7 BLOCK

NOTES:

- 1) MATERIAL: 4140/4142 (28-32 RC)
- 2) HEAT TREAT: N/A
- 3) FINISH: BLACK OXIDE PER MIL-C-13924 CLASS 1 THEN APPLY A THIN LAYER OF OIL / CPC PER MIL-PRF-16173 GRADE 3 CLASS 1 OR MIL-C-81309 TYPE III OR MIL-C-23411A OR MIL-PRF-81309 AND WIPE OFF EXCESS
- 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) REMOVE ALL SHARP EDGES AND BURRS
- 7) IDENTIFICATION: N/A

DESIGN	VM	DART AEROSPACE LTD	
DRAWN	VM	HAWKESBURY, ONTARIO, CANADA	
CHECKED	KPT	TOOL PART #	REV. A
MFG. APPR.	FK	RBW3230G00131-6F	SHEET 8 OF 10
APPROVED	<i>WJ</i>	TITLE	SCALE
DATE 4/16/2019		LOCKING PIN, LANDING GEAR HANDLING	NTS
<small>COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>			




RBW3230G00131-6F-8 THREADED PIN


NOTES:

- 1) MATERIAL: 4140/4142 (28-32 RC)
- 2) HEAT TREAT: N/A
- 3) FINISH: BLACK OXIDE PER MIL-C-13924 CLASS 1 THEN APPLY A THIN LAYER OF OIL / CPC PER MIL-PRF-16173 GRADE 3 CLASS 1 OR MIL-C-81309 TYPE III OR MIL-C-23411A OR MIL-PRF-81309 AND WIPE OFF EXCESS
- 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) REMOVE ALL SHARP EDGES AND BURRS
- 7) IDENTIFICATION: N/A

DESIGN	VM	DART AEROSPACE LTD	
DRAWN	VM	HAWKESBURY, ONTARIO, CANADA	
CHECKED	KPT	TOOL PART #	REV. A
MFG. APPR.	FK	RBW3230G00131-6F	SHEET 9 OF 10
APPROVED	<i>Wp</i>	TITLE	SCALE
		LOCKING PIN, LANDING GEAR HANDLING	NTS
DATE	4/16/2019	<small>COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



RBW3230G00131-6F-9 PIVOT PIN



NOTES:

- 1) MATERIAL: 4140/4142 (28-32 RC)
- 2) HEAT TREAT: N/A
- 3) FINISH: ZINC PLATE (YELLOW OR BLACK) PER ASTM B633 TYPE 2 CLASS 2
- 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) REMOVE ALL SHARP EDGES, BURRS, AND WELD SPATTERS IF APPLICABLE
- 7) IDENTIFICATION: N/A
- 8) CENTER DRILL IS ACCEPTABLE

DESIGN	VM	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VM		
CHECKED	KPT	TOOL PART #	REV. A
MFG. APPR.	FK	RBW3230G00131-6F	SHEET 10 OF 10
APPROVED	WJ	TITLE	SCALE
DATE 4/16/2019		LOCKING PIN, LANDING GEAR HANDLING	NTS
COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			